




# BEARING PRECISION AXLE CORP.



## 65 mm x 90 mm x 34 mm INA NKIA5913 Complex bearings

Bearing No. NKIA5913

NKIA5913 Bearing 2D drawings and 3D CAD models

Size	65x90x34 mm
Bore Diameter	65 mm
Outer Diameter	90 mm
Width	34 mm
d	65 mm
D	90 mm
B	34 mm
F	72 mm
$r_{\min}$	1 mm
m	635 g / Weight
$C_r$	69000 N / Dynamic load rating (radial)
$C_{0r}$	112000 N / Static load rating (radial)
$C_a$	12800 N / Dynamic load rating (axial)
$C_{0a}$	34000 N / Static load rating (axial)
$C_{ur}$	19500 N / Fatigue limit load, radial
$C_{ua}$	1510 N / Fatigue limit load, axial
$n_G$	6300 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A



## BEARING PRECISION AXLE CORP.

Weight / Kilogram	0.76
EAN	4012802132601
Product Group	B00234
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Long Description	65MM Bore 1; 65MM Bore 2; 90MM Outside Diameter; 34MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	NKIA5913
Weight / LBS	1.4
Overall Height with Aligning Washer	0 Inch   0 Millimeter
Outside Diameter	3.543 Inch   90 Millimeter
Bore 2	2.559 Inch   65 Millimeter



## BEARING PRECISION AXLE CORP.

Bore 1	2.559 Inch   65 Millimeter
Height	1.339 Inch   34 Millimeter